

Electric reach truck ETM/ETV 318-325

Lift height: 4250-13000 mm / Load capacity: 1800-2500 kg





The powerful reach truck for high demands.

Lifting heaviest loads to highest levels.

Enjoy the outstanding performance of our stable and powerful Series 3 reach trucks: Thanks to their robust frame, high mast rigidity and large wheel diameter, they easily lift heavy loads to lift heights of up to 13 metres. While the ETV truck can accommodate Euro pallets between its support arms, the narrower design of the ETM offers tremendous advantages in drive-in racking and block warehouses.Benefit from maximum throughput and an impressive energy balance due to innovative drive and control technology. Extensive control options and intelligent assistance systems make work easy and highly efficient for your operator. Advanced lithium-ion batteries with a long service life, fast boost charging and zero maintenance guarantee long-lasting performance. Equipment options such as the panoramic roof or video control for high lift heights complete this superior package.



5 years carefree. Guaranteed.

Extremely fast charging times and zero maintenance make liion batteries by far the most enduring energy source. With our 5-year guarantee on li-ion batteries, we give you a longterm performance promise, regardless of operating hours.

100% satisfaction. Guaranteed.

We are convinced our lithium-ion technology is right for you. That's why we guarantee that you can easily and quickly switch back to the technology you originally used at any time within the first 6 months after delivery – without giving reasons.

All benefits at a glance:

- Extremely stable construction for high residual capacity
- Electric load wheel brakes for increased safety
- 180°- und 360° steering for flexible manoeuvering
- soloPILOT control lever for sensitive stacking
- Extensive range of customisable optional features

Your Jungheinrich reach trucks

for maximum customer benefits.



Efficiency

Maximum performance with the most efficient trucks.

High lifting heights meet high performance: Choose, for instance, innovative li-ion technology to successfully increase availability and lower costs.

Available with lithium-ion technology

- High availability thanks to
- extremely short charging times.
- No battery exchange required.
 Cost savings due to longer service life and low maintenance compared with lead-acid batteries.
- No charging rooms and ventilation required as there is no build-up of gas.

High-performance mast

- Maximum safety and effective utilisation of warehouse capacity at extreme heights.
- Triplex masts with lifting heights up to 13,000 mm and mast tilt.
- Excellent visibility of the load.
- Low clearances at high lift
- heights.High residual capacities even at
- extreme lift heights.Optional mast reach cushioning.



Safety

Best prerequisites for working safely.

Easier, faster and safer stacking with assistance systems from Jungheinrich – you can easily put together your own individual options package.

Multiple assistance systems and options

- operationCONTROL continuously measures the load weight and compares it with the residual capacity of the truck. An optical warning on the operator display as well as an acoustic warning are triggered when approaching the limit value.
- positionCONTROL with SNAP function enables simple and fast stacking with-out additional pressing of buttons.
- liftNAVIGATION transfers stacking orders automatically from the warehouse management system. This prevents stacking errors.
- The anti-slip system ensures more traction on wet or dusty floors.
- Fork camera and ergonomically adjustable motor enable especially safe and efficient stacking and retrieval.

EasyAccess

 Keyless access system via softkey, PIN code or optional transponder card.

4-Inch full-colour display

- Display of direction of travel and wheel position.
- Battery status, with display of time remaining until the next charge required.
- 3 adjustable travel programs for individual adjustment to any requirements.
- Operating hours and time of day.
- Lift height (optional).
- Load weight (optional).



Individuality

A forklift truck as individual as your business.

Equip your warehouse with a tailormade reach truck that meets your operational and safety requirements on every level.

Option packages for different operating conditions

- Efficiency for long operating times with one battery.
- drivePLUS for frequent journeys over long distances.
- liftPLUS for greater lift speed and increased productivity.
- drive&liftPLUS for maximum productivity with optimum energy consumption.
- Holder for e.g. radio data terminal, writing board or video monitor.

Ergonomic cockpit

- Generous space, even for tall operators.
- All the controls are within the operator's field of vision and are clearly designated for each specific function.

Overview

The right solution for your applications:

Name	Load capacity/ load	Lift height (max.)	Travel speed un- laden	Aisle width (pal- let 800x1200 length)	Lift speed un- laden
ETV 318	1800 kg	11510 mm	11 km/h	2790 mm	0.64 m/s
ETV 320	2000 kg	13000 mm	11 km/h	2794 mm	0.64 m/s
ETM 325	2500 kg	9110 mm	0 km/h	2969 mm	0 m/s
ETV 325	2500 kg	13000 mm	0 km/h	2883 mm	0 m/s

The German production facilities in Norderstedt, Moosburg and Landsberg are certified.

ISO 9001 ISO 14001

CE

Jungheinrich fork lift trucks meet European safety requirements.

